

Pre-participation Exams

Rodolfo R. Navarro, MD, CAQSM
Assistant Clinical Professor
Department of Orthopedics
Department of Family & Community Medicine
UTHSC San Antonio

Financial Disclosure

Dr. Rudy Navarro has no relevant financial relationships with commercial interests to disclose.

Objectives

- Understand the purpose of a pre-participation exam
- Understand screening nature of the PPE
- Understand Sudden Cardiac Death and screening
- Understand how to perform a PPE
- Understand concepts of clearance

Why do the PPE?

- To “screen for medical diseases or processes that may affect an athlete’s participation in physical activity” (American College of Sports Medicine)
- In particular:
 - To “reduce CV risks associated with physical activity and enhance the safety of athletic participation” (American Heart Association)
 - To detect “silent cardiovascular abnormalities that can lead to SCD” (The American College of Cardiology)
 - To meet legal requirements for sports participation

Why do the PPE?

- The underlying intent is to *screen for possible* medical conditions
- Too difficult to diagnose and manage a chronic pathology in the given construct of a PPE
- Depends on the ability of the screener to quickly and efficiently prioritize and recognize possible physical, mental, or other medical limitations and counsel the athlete appropriately
- Ideally, the PPE identifies all potentially injurious abnormalities
 - So as to prevent *injury*
 - **More importantly, to prevent *fatality***

What are we doing?

- However, PPE is fairly controversial in itself
 - Have progressed from minimal PPE in past (or none!) to considering (multiple) medical tests
- Can the PPE prevent *injury*?
 - No evidence that an abnormal musculoskeletal exam screening itself predicts an increased risk for injury
 - Increased *risk* of injury does not always equal *incidence*
- Can we prevent *death*?
 - Most sport-related fatalities have been related to either head/neck injuries or sudden cardiac death
 - How to prevent these two?

Sudden Cardiac Death

- Most common cause of *sudden death* in young persons (<35 y/o) during exercise
- Hypertrophic cardiomyopathy and congenital coronary artery anomalies account for 1/3 of all SCD cases
 - “Others” account for less than 5%
 - ARVC/M, Long QT, other arrhythmias, early CAD
- Approximately 1 in 500 persons may have an occult CV condition that places them *at risk* for SCD.
 - Incidence of SCD estimated at 1/100,000 – 1/200,000
- Can we identify these on a PPE (to prevent death)?
 - *With limited ability, yes*

Electrocardiogram Screening?

- ECG has shown a good sensitivity and negative predictive values
 - Particularly sensitive for HCM, Long/short QT syndrome, and Arrhythmogenic Right Ventricular Cardiomyopathy, pre-excitation syndromes, Brugada syndrome
- Unable to detect certain structural abnormalities, such as abnormal coronary artery anomalies, and early coronary artery disease
- ECG has limited specificity, historically about 15% false-positive rate
- Newer guidelines on ECG interpretations for athletes has reduced false-positive rate

Electrocardiogram Screening?

- 2007: AHA reaffirmed recommendation for a 12-point history and physical specific to the cardiovascular system
 - Unable to recommend a national ECG-based screening process based on cost-effectiveness and feasibility
 - 10+ million potential athletes needing screening ECGs, at a cost of \$2+ billion per year
 - Physician and resource shortages, and lack of national standard of PPE
- Multiple studies cite need for improved SCD statistics nationally
- At this time, decision to ECG an athlete should be made on an individual basis, as part of a workup or a predetermined decision

Head/Neck Issues

- Injuries/fatalities related to head impact
 - Relative to gameplay and compounded by multiple factors
- Prevention is related to multiple factors:
 - Protective equipment, game situation and awareness, physical maturation, experience, history of prior injuries, etc
- PPE may suggest congenital or acquired structural defects that predispose to serious head/neck injuries
- Growing concern for identification of persons with a concussion history and potential pre-participation prevention
 - Difficult and complex concept of concussion prevention

The Pre-Participation Exam

- Medical history
 - Standardized questionnaire forms (PPE, 4th Ed) exist
 - Forms useful due to breadth of screening information
 - Should be completed with help of parents/family
- Divided into major sections of:
 - Past medical history
 - Cardiovascular:
 - Musculoskeletal
 - General medical conditions
 - Females Only (if applicable)

The Pre-Participation Exam

- Highlights of Medical History:
 - Known past medical history
 - Including surgical, current medications, allergies
 - Cardiovascular:
 - Personal history of chest pain, syncope, palpitations, fatigue, cardiac testing
 - Family history of cardiac-related deaths, known congenital cardiac abnormalities, suggestive symptoms
 - Musculoskeletal
 - Prior and current history of injuries and their status

The Pre-Participation Exam

- Highlights of Medical History:
 - General medical conditions
 - Asthma, or similar symptoms, and current status
 - History of concussions and head injuries
 - History of seizures
 - Screen for nutrition and body image issues and misconceptions
 - Females Only (if applicable)
 - Menstrual cycle abnormalities (suggestive for female triad)

The Pre-Participation Exam

- Examination
 - Broad-spectrum physical exam
- History and Exam are *independent* of each other
 - Unlike “normal” patient encounters where history leads to the focus of the exam
 - Emphasizes the *screening* concept that an “abnormal” finding warrants an additional detailed evaluation

The Physical Exam

- Often best to consider a station-based format
- Includes:
 - Vital signs and visual acuity
 - Head, Ears, Eyes, Nose, and Throat
 - Cardiovascular
 - Pulmonary
 - Abdominal
 - Musculoskeletal

The Physical Exam

- Personal preference will determine format of the exam
- Key inclusions:
 - Repeat blood pressures, if necessary
 - Notable undiagnosed reactive airways disease
 - Auscultation of the heart in the standing and supine positions
 - Simultaneous femoral and radial pulse palpation
 - Notable organomegaly or abdominal bruits
 - Musculoskeletal screening for joint mobility, strength (ie. Garrick Ortho Screen)

Garrick Ortho Screen



Marfan's Screening

- Include screening for Marfan's stigmata:
 - Kyphoscoliosis
 - High-arched palate
 - Pectus excavatum
 - Arachnodactyly (Walker, Steinberg signs)
 - Arm span greater than height
 - Joint hyperlaxity
 - Myopia
 - Mitral valve prolapse
 - Aortic insufficiency

PPE Clearance

- Clearance options are:
 - Unlimited participation
 - Full participation only after evaluation and clearance for a certain issue
 - No participation at all at this time
- Duty to provide clearance to participate in a particular (or general) sports
 - *Any positive response or concerning finding should require further, directed interview and exam*
 - Participation may need to be restricted or deferred

PPE Clearance

- AAP has outlined relative restriction guidelines for numerous conditions
 - (Details of individual guidelines are too extensive to list here)
- Restriction of participation is a complex decision
 - Factors include: further evaluation for undiagnosed or uncontrolled issues, surgical clearance, desired sport and competition level, stabilization of chronic medical diseases, need for fitness level testing, nutrition counseling, etc
 - Orthopedic issues may require re-evaluation or rehabilitation prior to full clearance

“Qualified Yes”

- Hypertension
- Congenital Heart Disease
- Irregular heart rhythms
- Marfans' Syndrome
- Vasculitis
- Diabetes Mellitus
- Malabsorption/Short-gut
- Hepatitis C/HIV
- Single kidney
- Neoplasm
- Myopathies
- Seizure disorder
- Obesity
- Pregnancy
- Cystic Fibrosis
- Rheumatologic disease
- Sickle Cell Trait
- Splenomegaly

Participation Restrictions

- Absolute Disqualification:
 - Carditis
 - Fever of any source
- “Qualified No”
 - Hypertrophic cardiomyopathy
 - Coronary artery anomalies
 - Arrhythmogenic right ventricular cardiomyopathy
 - Acute rheumatic fever
 - Ehlers-Danlos syndrome
 - Infectious Diarrhea
 - Infectious conjunctivitis

Physical Demands of Sports

		INCREASING DYNAMIC COMPONENT		
		A. Low (< 40% Max O ₂)	B. Moderate (40-70% Max O ₂)	C. High (> 70% Max O ₂)
INCREASING STATIC COMPONENT	III. High (20% BWFC)	IIA (Moderate) Basketball* Field events (throwing) Football* Martial arts* Soccer Sport climbing Water skiing* Weight lifting* Wrestling*	IIB (High Moderate) Body building* Diving* Football (kicking)* Handball* Snowboarding* Wrestling*	IIC (High) Baseball* Canoeing/kayaking Canyoning* Darts* Football (running) Ice hockey* Judo* Taekwondo*
	II. Moderate (10-20% BWFC)	IIA (Low Moderate) Archery Auto racing* Golf* Equestrian* Motorcycling*	IIB (Moderate) American football* Field events (sprinting) Figure skating* Football* Judo* Judo (grappling) Surfing* Synchronized swimming*	IIC (High Moderate) Baseball* Ice hockey* Open water skiing Judo (Judo) * Lacrosse* Running (middle distance) Swimming Tennis* Team handball*
	I. Low (0-10% BWFC)	IIA (Low) Baseball* Cricket* Curling* Golf* Volleyball*	IIB (Low Moderate) Basketball* Football* Table tennis* Volleyball*	IIC (Moderate) Badminton* Cross-country skiing Judo (Judo) * Field hockey* Orienteering* Rowing* Shooting* Running (long distance) Tennis*

PPE Clearance

- Restriction, full or qualified, needs to be clearly explained to the athlete, parents, coaches, athletic training staff
- PPE should be repeated and reviewed on a predetermined frequency
 - AHA recommends reviewing cardiac history and physical at least every two years

Summary

- The purpose of a PPE is to prevent injury and death related to sports participation, and to meet potential legal requirements.
- The PPE is intended, not to diagnose or manage medical conditions, but to identify potential medical limitations to sports participation.
- Sudden Cardiac Death is a leading cause of sports-related deaths and can be effectively screened for during a PPE, with an appropriate history and physical.
- The use of an electrocardiogram in a PPE remains controversial and there remain logistical barriers to its full implementation.
- A proper PPE utilizes a standard medical history questionnaire and comprehensive screening examination.
- Clearance for sports participation can be a complex decision requiring detailed evaluations and/or testing.

Thank you very much....

- American College of Sports Medicine. *Preparticipation Physical Evaluation*. www.ppsportsevaluation.org
- Drezner J, Corrado D. *Is There Evidence for Recommending the Electrocardiogram as Part of the Pre-Participation Exam?* Clin J Sport Med. 2011 Jan;21(1):18-24
- Borjesson M, Dellborg M. *Is There Evidence for Mandating Electrocardiogram as Part of the Pre-Participation Examination?* Clin J Sport Med. 2011 Jan;21(1):13-17
- Borjesson M, Pelliccia A. *Incidence and aetiology of sudden cardiac death in young athletes: an international perspective*. Br J Sports Med. 2009;43:644-648
- Garrick JG. *Preparticipation orthopedic screening evaluation*. Clin J Sport Med. 2004 May;14(3):123-6
- Maron B, Thompson P, Ackerman M, Balady G, Berger S, Cohen D, et al. *Recommendations and considerations related to preparticipation screening for cardiovascular abnormalities in competitive athletes: 2007 update*. Circulation 2007;115:1643-55
- Maron BJ, Zipes DP. *36th Bethesda Conference: eligibility recommendations for competitive athletes with cardiovascular abnormalities*. J Am Coll Cardiol. 2005;45:1312-1377
- Pelliccia A, DiPaolo FM, Corrado D, et al. *Evidence for efficacy of the Italian national pre-participation screening programme for identification of hypertrophic cardiomyopathy in competitive athletes*. Eur Heart J. 2006;27:2196-2200
- Ransick CM, Phillips GC. *Adherence to guidelines for cardiovascular screening in current high school preparticipation evaluation forms*. J Pediatr. 2009 Oct;155(4):584-6
- Rice SG, The Council on Sports Medicine and Fitness. *Medical Conditions Affecting Sports Participation*. American Academy of Pediatrics. 2008
